



December 19, 2023

Marc Elfante
OHM BOCES New Hartford Central School
District
29 Oxford Road
New Hartford, NY 13413

RE: Project: HARTFORD CTR. SCHOOL DIST-HUGH
Pace Project No.: 70281086

Dear Marc Elfante:

Enclosed are the analytical results for sample(s) received by the laboratory on December 15, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jack M. Germano
jack.germano@pacelabs.com
516-370-6012
Project Manager

Enclosures

cc: OHM BOCES Safety Services, OHM BOCES New
Hartford Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70281086001	HE-20 Drinking Fountain by Rm 120	Drinking Water	12/14/23 06:21	12/15/23 08:00
70281086002	HE-25 Drinking Fountain by Rm 141	Drinking Water	12/14/23 06:23	12/15/23 08:00
70281086003	HE-48 Drinking Fountain by Rm 152	Drinking Water	12/14/23 06:08	12/15/23 08:00
70281086004	HE-49 Drinking Fountain by Rm 152	Drinking Water	12/14/23 06:09	12/15/23 08:00
70281086005	HE-71 Kitchen Sink 1 Rm 183	Drinking Water	12/14/23 06:12	12/15/23 08:00
70281086006	HE-72 Kitchen Sink 2 Rm 183	Drinking Water	12/14/23 06:13	12/15/23 08:00
70281086007	HE-73 Cafe Sink 1 Rm 184	Drinking Water	12/14/23 06:14	12/15/23 08:00
70281086008	HE-74 Cafe Sink 2 Rm 184	Drinking Water	12/14/23 06:14	12/15/23 08:00
70281086009	HE-80 Faculty Rm 190	Drinking Water	12/14/23 06:25	12/15/23 08:00
70281086010	HE-91 Drinking Fountain Library	Drinking Water	12/14/23 06:18	12/15/23 08:00
70281086011	HE-92 Drinking Fountain Library	Drinking Water	12/14/23 06:19	12/15/23 08:00
70281086012	ME-3 Kitchen Sink 1 Rm 102	Drinking Water	12/14/23 06:41	12/15/23 08:00
70281086013	ME-4 Kitchen Sink 2 Rm 102	Drinking Water	12/14/23 06:42	12/15/23 08:00
70281086014	ME-5 Cafe Sink 1 Rm 101	Drinking Water	12/14/23 06:43	12/15/23 08:00
70281086015	ME-12 Faculty Rm 154	Drinking Water	12/14/23 06:50	12/15/23 08:00
70281086016	ME-14 Drinking Fountain by Rm 150	Drinking Water	12/14/23 06:51	12/15/23 08:00
70281086017	ME-19 Drinking Fountain Rm 149	Drinking Water	12/14/23 06:52	12/15/23 08:00
70281086018	ME-20 Classroom Sink 1 Rm 147	Drinking Water	12/14/23 06:54	12/15/23 08:00
70281086019	ME-21 Classroom Sink 2 Rm 147	Drinking Water	12/14/23 06:55	12/15/23 08:00
70281086020	ME-22 Classroom Sink 3 Rm 147	Drinking Water	12/14/23 06:55	12/15/23 08:00
70281086021	ME-24 Drinking Fountain Rm 147	Drinking Water	12/14/23 06:53	12/15/23 08:00
70281086022	ME-32 Drinking Fountain by Library	Drinking Water	12/14/23 07:04	12/15/23 08:00
70281086023	ME-38 Drinking Fountain Rm 138	Drinking Water	12/14/23 07:03	12/15/23 08:00
70281086024	ME-91 Bottle Filler	Drinking Water	12/14/23 07:00	12/15/23 08:00
70281086025	ME-43 Drinking Fountain Rm 161	Drinking Water	12/14/23 06:58	12/15/23 08:00
70281086026	ME-51 Drinking Fountain by Rm 138	Drinking Water	12/14/23 07:06	12/15/23 08:00
70281086027	ME-54 Classroom Sink Rm 130	Drinking Water	12/14/23 07:07	12/15/23 08:00
70281086028	ME-55 Classroom Sink Rm 129	Drinking Water	12/14/23 07:08	12/15/23 08:00
70281086029	ME-57 Classroom Sink Rm 132	Drinking Water	12/14/23 07:09	12/15/23 08:00
70281086030	ME-66 Drinking Fountain by Rm 115	Drinking Water	12/14/23 07:11	12/15/23 08:00
70281086031	ME-92 Bottle Filler	Drinking Water	12/14/23 06:47	12/15/23 08:00
70281086032	ME-81 Drinking Fountain by Rm 107	Drinking Water	12/14/23 06:46	12/15/23 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70281086001	HE-20	EPA 200.8	JP2	1
70281086002	HE-25	EPA 200.8	JP2	1
70281086003	HE-48	EPA 200.8	JP2	1
70281086004	HE-49	EPA 200.8	JP2	1
70281086005	HE-71	EPA 200.8	JP2	1
70281086006	HE-72	EPA 200.8	JP2	1
70281086007	HE-73	EPA 200.8	JP2	1
70281086008	HE-74	EPA 200.8	JP2	1
70281086009	HE-80	EPA 200.8	JP2	1
70281086010	HE-91	EPA 200.8	JP2	1
70281086011	HE-92	EPA 200.8	JP2	1
70281086012	ME-3	EPA 200.8	JP2	1
70281086013	ME-4	EPA 200.8	JP2	1
70281086014	ME-5	EPA 200.8	JP2	1
70281086015	ME-12	EPA 200.8	JP2	1
70281086016	ME-14	EPA 200.8	JP2	1
70281086017	ME-19	EPA 200.8	JP2	1
70281086018	ME-20	EPA 200.8	JP2	1
70281086019	ME-21	EPA 200.8	JP2	1
70281086020	ME-22	EPA 200.8	JP2	1
70281086021	ME-24	EPA 200.8	JP2	1
70281086022	ME-32	EPA 200.8	JP2	1
70281086023	ME-38	EPA 200.8	JP2	1
70281086024	ME-91	EPA 200.8	JP2	1
70281086025	ME-43	EPA 200.8	JP2	1
70281086026	ME-51	EPA 200.8	JP2	1
70281086027	ME-54	EPA 200.8	JP2	1
70281086028	ME-55	EPA 200.8	JP2	1
70281086029	ME-57	EPA 200.8	JP2	1
70281086030	ME-66	EPA 200.8	JP2	1
70281086031	ME-92	EPA 200.8	JP2	1
70281086032	ME-81	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-20		Lab ID: 70281086001	Collected: 12/14/23 06:21	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 15:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-25		Lab ID: 70281086002		Collected: 12/14/23 06:23		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 16:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-48		Lab ID: 70281086003	Collected: 12/14/23 06:08	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 16:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-49		Lab ID: 70281086004	Collected: 12/14/23 06:09	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 16:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-71		Lab ID: 70281086005		Collected: 12/14/23 06:12		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.3	ug/L	1.0	1		12/18/23 16:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-72		Lab ID: 70281086006		Collected: 12/14/23 06:13		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.9	ug/L	1.0	1		12/18/23 16:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-73		Lab ID: 70281086007	Collected: 12/14/23 06:14	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.3	ug/L	1.0	1		12/18/23 16:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-74		Lab ID: 70281086008		Collected: 12/14/23 06:14		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.2	ug/L	1.0	1		12/18/23 16:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-80		Lab ID: 70281086009		Collected: 12/14/23 06:25		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		12/18/23 16:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-91		Lab ID: 70281086010		Collected: 12/14/23 06:18		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 16:16	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: HE-92		Lab ID: 70281086011		Collected: 12/14/23 06:19		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 16:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-3		Lab ID: 70281086012		Collected: 12/14/23 06:41		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		12/18/23 16:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-4		Lab ID: 70281086013		Collected: 12/14/23 06:42		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	9.6	ug/L	1.0	1		12/18/23 16:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-5		Lab ID: 70281086014		Collected: 12/14/23 06:43		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.6	ug/L	1.0	1		12/18/23 16:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-12		Lab ID: 70281086015		Collected: 12/14/23 06:50		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 19:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-14		Lab ID: 70281086016		Collected: 12/14/23 06:51		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 19:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-19		Lab ID: 70281086017		Collected: 12/14/23 06:52		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 19:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-20		Lab ID: 70281086018		Collected: 12/14/23 06:54		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		12/18/23 19:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-21		Lab ID: 70281086019		Collected: 12/14/23 06:55		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.0	ug/L	1.0	1		12/18/23 19:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-22		Lab ID: 70281086020		Collected: 12/14/23 06:55		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.9	ug/L	1.0	1		12/18/23 19:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-24		Lab ID: 70281086021		Collected: 12/14/23 06:53		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		12/18/23 19:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-32		Lab ID: 70281086022		Collected: 12/14/23 07:04		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 19:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-38		Lab ID: 70281086023	Collected: 12/14/23 07:03	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 20:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-91		Lab ID: 70281086024		Collected: 12/14/23 07:00		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 20:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-43		Lab ID: 70281086025		Collected: 12/14/23 06:58		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 20:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-51		Lab ID: 70281086026		Collected: 12/14/23 07:06		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 20:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-54		Lab ID: 70281086027		Collected: 12/14/23 07:07		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		12/18/23 20:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-55		Lab ID: 70281086028		Collected: 12/14/23 07:08		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.1	ug/L	1.0	1		12/18/23 20:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-57		Lab ID: 70281086029		Collected: 12/14/23 07:09		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.9	ug/L	1.0	1		12/18/23 20:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-66		Lab ID: 70281086030	Collected: 12/14/23 07:11	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 20:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-92		Lab ID: 70281086031	Collected: 12/14/23 06:47	Received: 12/15/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/23 20:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Sample: ME-81		Lab ID: 70281086032		Collected: 12/14/23 06:46		Received: 12/15/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/18/23 20:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

QC Batch:	331168	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70281086001, 70281086002, 70281086003, 70281086004, 70281086005, 70281086006, 70281086007, 70281086008, 70281086009, 70281086010, 70281086011, 70281086012, 70281086013, 70281086014		

METHOD BLANK:	1696851	Matrix:	Water
Associated Lab Samples:	70281086001, 70281086002, 70281086003, 70281086004, 70281086005, 70281086006, 70281086007, 70281086008, 70281086009, 70281086010, 70281086011, 70281086012, 70281086013, 70281086014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/23 15:39	

LABORATORY CONTROL SAMPLE:	1696852					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.1	102	85-115	

MATRIX SPIKE SAMPLE:		1696854					
		70281102004	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.5	50	54.8	103	70-130	

MATRIX SPIKE SAMPLE:		1696856					
		70281102005	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	51.3	102	70-130	

SAMPLE DUPLICATE:	1696853					
Parameter	Units	70281102004 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	3.5	3.5	1	20	

SAMPLE DUPLICATE:	1696855					
Parameter	Units	70281102005 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

QC Batch:	331169	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70281086015, 70281086016, 70281086017, 70281086018, 70281086019, 70281086020, 70281086021, 70281086022, 70281086023, 70281086024, 70281086025, 70281086026, 70281086027, 70281086028, 70281086029, 70281086030, 70281086031, 70281086032		

METHOD BLANK:	1696857	Matrix:	Water
Associated Lab Samples:	70281086015, 70281086016, 70281086017, 70281086018, 70281086019, 70281086020, 70281086021, 70281086022, 70281086023, 70281086024, 70281086025, 70281086026, 70281086027, 70281086028, 70281086029, 70281086030, 70281086031, 70281086032		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/23 19:33	

LABORATORY CONTROL SAMPLE:	1696858					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.4	99	85-115	

MATRIX SPIKE SAMPLE:		1696860					
		70281086015	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	100	70-130	

MATRIX SPIKE SAMPLE:		1696862					
		70281086016	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.0	100	70-130	

SAMPLE DUPLICATE:	1696859					
Parameter	Units	70281086015 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:	1696861					
Parameter	Units	70281086016 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HARTFORD CTR. SCHOOL DIST-HUGH

Pace Project No.: 70281086

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70281086001	HE-20	EPA 200.8	331168		
70281086002	HE-25	EPA 200.8	331168		
70281086003	HE-48	EPA 200.8	331168		
70281086004	HE-49	EPA 200.8	331168		
70281086005	HE-71	EPA 200.8	331168		
70281086006	HE-72	EPA 200.8	331168		
70281086007	HE-73	EPA 200.8	331168		
70281086008	HE-74	EPA 200.8	331168		
70281086009	HE-80	EPA 200.8	331168		
70281086010	HE-91	EPA 200.8	331168		
70281086011	HE-92	EPA 200.8	331168		
70281086012	ME-3	EPA 200.8	331168		
70281086013	ME-4	EPA 200.8	331168		
70281086014	ME-5	EPA 200.8	331168		
70281086015	ME-12	EPA 200.8	331169		
70281086016	ME-14	EPA 200.8	331169		
70281086017	ME-19	EPA 200.8	331169		
70281086018	ME-20	EPA 200.8	331169		
70281086019	ME-21	EPA 200.8	331169		
70281086020	ME-22	EPA 200.8	331169		
70281086021	ME-24	EPA 200.8	331169		
70281086022	ME-32	EPA 200.8	331169		
70281086023	ME-38	EPA 200.8	331169		
70281086024	ME-91	EPA 200.8	331169		
70281086025	ME-43	EPA 200.8	331169		
70281086026	ME-51	EPA 200.8	331169		
70281086027	ME-54	EPA 200.8	331169		
70281086028	ME-55	EPA 200.8	331169		
70281086029	ME-57	EPA 200.8	331169		
70281086030	ME-66	EPA 200.8	331169		
70281086031	ME-92	EPA 200.8	331169		
70281086032	ME-81	EPA 200.8	331169		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Place Location Requested (City/State):
Place Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

WO#: 70281086



70281086

Company Name: New Hartford Central School District
Street Address:

Contact/Report To: **Marc Elfante**
Phone #: **315-927-4110**
E-Mail: melefante@nhart.org
Cr E-Mail:

Customer Project #:

Project Name: **New Hartford Central School District - Hughes and Myles Elementary**

Invoice To:	Marc Elfante
Invoice E-Mail:	melefante@nhar1.org

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):

Quote #: 315-827-4110

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET

County / State origin of sample(s):	New York
-------------------------------------	----------

Data Deliverables:

<input type="checkbox"/> Level II	<input type="checkbox"/> Level III	<input type="checkbox"/> Level IV
<input type="checkbox"/> EQUIS		
<input type="checkbox"/> Other		

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):

DW PWSID # or WW Permit # as applicable:

☐ 7 Day ☐ 3 day ☐ 5 day ☐ OtherField Filtered [if applicable]: ☐ Yes ☐ No

Date Results Requested: Standard 10 business day

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

[illegible]

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name: RICHARD PASZKIEWICZ (PSI)
Signature:

Additional Instructions from Page*

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp (°C)	Corrected Temp. (°C)
1	TH211	+0.1	12.5	12.9

Relinquished by/Company (Signature)	Date/Time
<i>[Signature]</i>	12/14/23 09:45

Received by/Company: *PSI*

Date/Time: 12/14/23 09:45

Tracking Number:

Relinquished by/Company (Signature)	Date/Time:
<i>[Signature]</i>	12/14/23

Received by/Company (signature)

Date/Time: 12-14-73 1330

Delivered by: ☒ In-Person ☐ Courier
☐ FedEx ☐ UPS ☐ Other

Relinquished by/Company: (Signature) _____ Date/Time: 17-11-23 16:00

Received by/Company: {Signature}

12-11-25 1:35
Date/Time:

Page: 1 of 14


Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <http://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions>.

ENV-FRM-CORQ-0019 v01 082123 ©

Paul Peters. HFL 12/15 8:00

Conditions found at <https://www.pacelabs.com/resource-library>
 Peter Gordon HAZ
 Ryan RACE

12/15 4:10
12/15/23 8:00



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: New Hartford Central School District

Street Address:

Contact/Report To: Marc Effante

Phone #: 315-927-4110

E-Mail: melefante@nhart.org

Cc E-Mail:

Customer Project #:

Project Name: New Hartford Central School District - Hughes and Myles Elementary

Site Collection Info/Facility ID (as applicable):

Invoice To: Marc Effante

Invoice E-Mail: melefante@nhart.org

Purchase Order # (if applicable):

Quote #: 315-927-4110

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET

County / State origin of sample(s): New York

Data Deliverables:

☐ Level II ☐ Level III ☐ Level IV

☐ EQUIS

☐ Other

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):

☐ 2 Day ☐ 3 day ☐ 5 day ☐ Other

Date Results Requested: Standard 10 business day

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): ☐ Yes ☐ No

Analysis:

*** Matrix Codes (Insert in Matrix box below):** Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		200.0 Drinking Water (Pb only)
			Date	Time	Date	Time		Plastic	Glass	
HE92	DW	G	12/14/23	619				1		X
ME3			12/14	641						
ME4			12/14	642						
ME5			12/14	643						
ME12			12/14	650						
ME14			12/14	651						
ME19			12/14	652						
ME20			12/14	654						
ME21			12/14	655						
ME22			12/14	655						

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By:

Printed Name:

Signature:

Additional Instructions from Pace®:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
<i>[Signature]</i>	12/14/23 09:45	<i>[Signature]</i>	12/14/23 09:45	
<i>[Signature]</i>	12/14/23	<i>[Signature]</i>	12-17-23 1330	
<i>[Signature]</i>	12-17-23 1600	<i>[Signature]</i>		
<i>[Signature]</i>	12/14/23	<i>[Signature]</i>	12/14/23 22:00	

Delivered by: ☐ In-Person ☐ Courier

☐ FedEx ☐ UPS ☐ Other

Page: 12 of 14



Scan QR Code for instructions

LAB USE ONLY: Affix Workorder/Login Label Here

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

****Container Size:** (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

***** Preservative Types:** (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr: Lori Beyer

AcctNum / Client ID:

Table #:

Profile / Template:

Prelog / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Attach Workorder/Login Label Here



Scan QR Code for instructions

Company Name: **New Hartford Central School District**
Street Address:

Contact/Report To: **Marc Elfante**
Phone #: **315-927-4110**
E-Mail: **melefante@nhart.org**
Cc E-Mail:

Customer Project #:
Project Name: **New Hartford Central School District - Hughes and Myles Elementary**

Invoice To: **Marc Elfante**
Invoice E-Mail: **melefante@nhart.org**

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):
Quote #: **315-927-4110**

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET

County / State origin of sample(s): **New York**

Data Deliverables:

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Rush (Pre-approval required):

☐ 2 Day ☐ 3 day ☐ 5 day ☐ Other

Date Results Requested: **Standard 10 business day**

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): ☐ Yes ☐ No
Analysis

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		200.8 Drinking Water (Pb only)	Sample Comment	Preservation non-conformance identified for sample.
			Date	Time	Date	Time		Plastic	Glass			
ME 24	DW	G	12/14/23	653				1		X		
ME 32			12/14	704								
ME 38			12/14	703								
ME 91			12/14	700								
ME 43			12/14	658								
ME 51			12/14	706								
ME 54			12/14	707								
ME 55			12/14	708								
ME 57			12/14	709								
ME 66			12/14	711								

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By:
Printed Name:
Signature:

Additional Instructions from Pace®:

If Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Relinquished by/Company (Signature): *[Signature]* Date/Time: **12/14/23 09:45**
Relinquished by/Company (Signature): *[Signature]* Date/Time: **12/14/23**
Relinquished by/Company (Signature): *[Signature]* Date/Time: **12-14-23 16:00**
Relinquished by/Company (Signature): *[Signature]* Date/Time: **12/14/23**

Received by/Company (Signature): *[Signature]* Date/Time: **12/14/23 09:45**
Received by/Company (Signature): *[Signature]* Date/Time: **12-14-23 13:30**
Received by/Company (Signature): *[Signature]* Date/Time: **12/14/23 20:01**

Tracking Number:
Delivered by: ☐ In-Person ☐ Courier
☐ FedEx ☐ UPS ☐ Other
Page: **13** of **14**

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <http://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v01-082123 ©

Real Justice AAL

12/15 8:00

Real Justice AAL

12/15 4:10

New Hart CSD

~~103~~ New Hart

Hartford CTR School Dist High

95

☐ Use Point Number Spreadsheet

Multiday Project

☐ Add SCLOGFD to first sample for field charge

[illegible]

Container Codes

Glass		Plastic		Misc.			
VG9U	40mL unpres clear vial	AG4U	125mL unpres amber glass	BP4U	125mL unpreserved plastic	SP5T	120mL Coliform Na Thio
VG9C	40mL Ascorbic-HCl clear vial	AG3U	250mL unpres amber glass	BP3U	250mL unpreserved plastic	R	Terracora Kil
VG9H	40mL HCl clear vial	AG2U	500mL unpres amber glass	BP2U	500mL unpreserved plastic	WG2U	2oz Unpreserved Jar
VG9S	40mL Sulfuro clear vial	AG1U	1liter unpres amber glass	BP1U	1L unpreserved plastic	WGFU	4oz Unpreserved Jar
DG9T	40mL Na Thiosulfate vial	AG3A	Ammonium Cl 250mL bottle	BP4N	125mL HNO3 plastic	WGKU	8oz Unpreserved Jar
DG9Y	40mL Citrate-Na Thiosulfate	AG3S	250mL H2SO4 amber glass	BP3N	250mL HNO3 plastic	WGDU	16oz Unpreserved Jar
DG9P	40mL amber vial - TSP	AG4E	125mL EDA amber glass	BP2N	500mL HNO3 plastic	ZPLC	Ziplock Bag
DG9A	Ascorbic/Maleic Acid 40mL	AG3T	250mL Na Thio amber glass	BP3S	250mL H2SO4 plastic	YEDL	Tedlar Bag
DG6T	Na Thio 80mL Vial	AG2R	Na Sulfite 500mL (blue Cap)	BP2S	500mL H2SO4 plastic	BG1H	1L HCL Clear Glass
DG9S	Ammonium CuCuSO4 40mL	AG1T	Na Thiosulfate 1L bottle	BP3C	NaOH 250mL bottle	GN	General
CG4U	1L Unpres Jar (Con Ed)	AG1H	1L HCl amber glass	BP3T	250mL Trizma	WP	Wipe
		AG1A	(NH4Cl)	9P3S	250mL Ammonium Acetate		
WG9O	8oz clear soil jar			9P3R	250mL NH4SO4-NH4OH		
WG4O	4oz clear soil jar			9P1Z	1L NaOH, Zn Acetate		
				9P1N	1L HNO3 plastic		
				9P1S	Na Thiosulfate Amber Bottle		

IOC	
BP1U	1L unpreserved plastic
BP3N*	250mL HNO ₃ plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass

* Can also be a BP1N

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	Oil
WP	Wipe
DW	Drinking Water

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid/ malonic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG8T	Na Thiosulfate 60mL vial
DG6M	Mono(Ca)Citric/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525 S Chemical Blend

Sender Initials

Additional Comments

Page 45 of 46

Quadrant ID: 152532

Pace® Analytical Services, LLC

Page 7 of 1

WO#: 70281086

PM: JMG

Due Date: 12/27/23

CLIENT: New Hart CSD

WO#: 70281086

Client Name:

New Hart CSD

Project #

PM: JMG

Due Date: 12/27/23

CLIENT: New Hart CSD

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Parcel ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: +0.4 ☒ Samples on ice, cooling process has begun

Cooler Temperature(°C): 12.5 Cooler Temperature Corrected(°C): 12.9 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

W/L 12/15/23

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> VT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation:

W/L 12/15

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # 211821A	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added:
KI starch test strips Lot #	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Lead Acetate Strips Lot #	17.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW:

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review is documented electronically in LIMS.